IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

) Examiner: Not yet assigned

McMillan et al.

Group Art Unit: Not yet assigned

Serial No: Not yet assigned

Customer No.: 25213

Filed: November 7, 2001

For: DEVICE AND METHOD FOR

LYSING CELLS, SPORES, OR

MICROORGANISMS

INFORMATION DISCLOSURE STATEMENT

TRANSMITTAL

Docket No.: 22660-0019 DIV 3

Express Mail Label No .: EL 852 464 139 US Mailed in Palo Alto, CA on: November 1, 2001

BOX PATENT APPLICATION Assistant Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Applicants wish to bring to the attention of the Patent Office the references listed on the attached form PTO-1449 and request that they be considered by the Examiner. Each of the references cited on the attached was previously cited by or submitted to the PTO in prior application Serial No. 09/331,911 filed June 25, 1999. The prior application is relied upon for an earlier filing date under 35 U.S.C. §120, therefore copies of the references are not enclosed.

This Information Disclosure Statement is being filed Under 37 C.F.R. §1.97(b)(3), therefore no fee is due with this communication. The Commissioner is authorized to charge any fees which may be required under 37 CFR \$1.16 or \$1.17, to Deposit Account No. 08-1641, referencing Docket No. 22660-0019 DIV 3.

Respectfully submitted,

William Schmonsees

Registration No. 31,796

Date: Movember 7, 2001

Heller Ehrman White & McAuliffe LLP 275 Middlefield Road Menlo Park, CA 94025-3506 Direct Dial: (650) 324-7104

Facsimile: (650) 324-0638

329148 v01.SV (71Z001!.DOC) 11/6/01 7:17 PM (22660.0019)

IN THE UNITED STATES PATENT TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOC

22660-0019 DIV 3

ио.:

SERIAL NO.:

Not yet assigned

PTO-1449 FORM APPLICANTS: McMillan et al.

FILING DATE:

GROUP ART UNITO

November 7, 2001

Not yet assi

Sheet 1 of 4

UNDER 37 CFR \$1.56, \$1.97, and \$1.98

U.S. PATENT DOCUMENTS

† EX'R INITIA	*REF.	PATENT NUMBER	DATE (MO/YR)	NAME	U.S. CLASS/ SUBCLASS	FILING DATE
L	+21	3,799,742	3/1974	C.M. Coleman	23-253R	appropriate
	*A1		1/1984	R.L. Columbus	436/518	
	*A2	4,426,451		Björkman	422/101	
	*A3	4,642,220	2/1987		435/7	
	*A4	4,789,628	12/1988	Nayak	436/514	
	*A5	4,855,240	8/1989	Rosenstein et al.	204/600	
	*A6	4,891,120	1/1990	Sethi et al.		
	*A7	4,895,500	1/1990	Hok et al.	417/566	
	*A8	4,908,112	3/1990	Pace	204/299	
	*A9	4,908,318	3/1990	Lerner	435/270	
	*A10	4,915,812	4/1990	Parce et al.	204/403	
	*A11	4,918,025	4/1990	G. Grenner	436/165	
	*A12	4,921,952	5/1990	Longmire et al.	536/27	
	*A13	4,923,978	5/1990	McCormick et al.	536/27	
	*A14	4,963,498	10/1990	Hillman et al.	436/69	
	*A15	4,983,523	1/1991	Li et al.	435/173	7
-740	*A16	5,061,446	10/1991	J. Guigan	422/64	
	*A17	5,114,858	5/1992	Williams et al.	435/270	
·	*A18	5,124,444	6/1992	Van Ness et al.	536/27	
	*A19	5,155,018	10/1992	Gillespie et al.	435/91	
	*A20	5,188,963	2/1993	Stapleton	435/299	
	*A21	5,207,988	5/1993	F.V. Lucas	422/73	
	*A22	5,223,219	6/1993	Subramanian et al.	422/55	
	*A23	5,229,297	7/1993	Schnipelsky et al.	436/94	
-	*A24	5,234,809	8/1993	Boom et al.	435/91	
	*A25	5,296,375	3/1994	Kricka et al.	435/291	
	*A26	5,304,487	4/1994	Wilding et al.	435/291	
	*A27	5,330,916	7/1994	Williams et al.	435/311	
	*A28	5,342,931	8/1994	Woodard et al.	536/25.4	
	*A29	5,352,777	10/1994	Jhingan	536/25.4	
	*A30	5,374,522	12/1994	Murphy et al.	435/6	
	 		12/1994	Murphy et al.	435/6	
	*A31	5,374,533	6/1995	Goldrick et al.	435/6	
	*A32	5,422,241		Austin et al.	204/180.1	
	*A33	5,427,663	6/1995	Kricka et al.	435/291	
	*A34	5,427,946	6/1995		536/25.4	+
	*A35	5,438,129	8/1995	Woodard et al.	428/167	
	*A36	5,443,890	8/1995	Öhman		
	*A37	5,458,761	10/1995	Kamahori et al.	204/602	
	*A38	5,500,071	3/1996	Kaltenbach et al.	422/70	

	ED STATES PATENT			SERIAL NO.: Not yet assigned		
INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR \$1.56, \$1.97, and \$1.98			22660-0019 DIV 3	Not yet assigned		
ONDER 3	PTO-1449		APPLICANTS: McMillan	APPLICANTS: McMillan et al.		
			FILING DATE:	GROUP ART UNIT:		
			November 7, 2001	Not yet assigned		
	Sheet 2 c	£ 4				
		U.S. P	PATENT DOCUMENTS			
*A39	5,534,054	7/1996	Woodard et al.	106/287.11		
*A40	5,541,400	6/1997	Kaltenbach et al.	204/451		
*A41	5,543,305	8/1996	Cummins et al.	435/91.1		
*A42	5,580,435	12/1996	Kovacs	204/603		
*A43	5,580,794	12/1996	M.P. Allen	436/169		
*A44	5,585,069	12/1996	Zanzucchi et al.	422/100		
*A45	5,587,128	12/1996	Wilding et al.	422/50		
*A46	5,605,662	2/1997	Heller et al.	422/68.1		
*A47	5,616,701	4/1997	Woodard et al.	536/25.4		
*A48	5,639,423	6/1997	Northrup et al.	122/50		
*A49	5,639,428	6/1997	H.V. Cottingham	422/112		
*A50	5,641,400	6/1997	Kaltenbach et al.	204/451		
*A51	5,652,141	7/1997	Henco et al.	435/270		
*A52	5,693,785	12/1997	Woodard et al.	536/25.4		
*A53	5,705,018	1/1998	Hartley	156/345		
*A54	5,707,799	1/1998	Hansmann et al.	435/6		
*A55	5,716,852	2/1998	Yager et al.	436/172		
*A56	5,741,639	4/1998	Ensing et al.	204/452		
*A57	5,770,029	6/1998	Nelson et al.	204/604		
*A58	5,777,141	7/1998	Brunner et al.	554/175		
*A59	5,842,787	12/1998	Kopf-Sill et al.	366/340		
*A60	5,843,767	12/1998	Kenneth L. Beattie	435/287.1		
*A61	5,846,727	12/1998	Soper et al.	204/451		
*A62	5,856,174	1/1999	Lipshutz et al.	435/286.5		
*A63	5,858,188	1/1999	Soane et al.	204/450		
*A64	5,863,502	1/1999	Southgate et al.	422/58		
*A65	5,863,801	1/1999	Southgate et al.	436/63		
*A66	5,869,004	2/1999	Parce et al.	422/100		
*A67	5,874,046	2/1999	Megerle	02/99		
*A68	5,880,071	3/1999	Parce et al.	204/453		
*A69	5,921,678	7/1999	Desai et al.	366/336		
*A70	5,928,880	7/1999	Wilding et al.	435/7.21		
*A71	5,972,710	10/1999	Weigl et al.	436/34		
*A72	6,042,709	3/2000	Parce et al.	204/453		
*A73	6,068,752	5/2000	Dubrow et al.	204/604		
*A74	6,080,295	6/2000	Parce et al.	204/451		
*A75	6,090,545	7/2000	Wohlstadter et al.	435/6		
*A76	6,100,084	8/2000	Miles et al.	435/306.1		
*A77	6,153,073	11/2000	Dubrow et al.	204/453		
*A78	6,156,273	12/2000	Regnier et al.	422/70		

INFORMATION DISCLOSURE STATEMENT 22660-0019 DIV 3 Not yet assigned	•				. 0007.65	AMMODATELY DOCTO	SERIAL NO.:		
NAME						ATTORNEY DOCIO NO.:		. aai an aa	
### PILING DATE: November 7, 2001 Not yet assigned						22660-0019 DIV 3	Not yet		
#A79 6.168,948 1/2000 Anderson et al. 435/287.2 *A79 6.168,948 1/2000 Anderson et al. 435/287.2 *FOREIGN PATENT DOCUMENTS			PTO-1449 F	ORM		APPLICANTS: McMillan e	t al.		
### Sheet 3 of 4 ### U.S. PATENT DOCUMENTS ### OF 6,168,948 1/2000 Anderson et al. 435/287.2 ### FOREIGN PATENT DOCUMENTS ### OF ATENT NUMBER DATE (MO/YR) COUNTRY TRANSLATT. ### OF ATENT NUMBER DATE (MO/YR) DE P ### OF ATENT NUMBER DATE (MO/YR) PCT ### OF OF OF ATENT NUMBER DATE (MO/YR) PCT ### OF OF OF ATENT NUMBER DATE (MO/YR) PCT ### OF OF OF ATENT NUMBER DATE (MO/YR) PCT ### OF OF OF ATENT NUMBER DATE (MO/YR) PCT ### OF OF OF OF OF ATENT NUMBER NUMBER DATE (MO/YR) PCT ### OF						FILING DATE:	GROUP ART U	NIT:	
### PATENT NUMBER 1/2000 Anderson et al. 435/287.2 #### PATENT NUMBER DATE (MO/FR) COUNTRY TRANSLATE (YES/NO) #### PATENT NUMBER DATE (MO/FR) COUNTRY TRANSLATE (YES/NO) #### PATENT NUMBER DATE (MO/FR) COUNTRY TRANSLATE (YES/NO) #### BE GB 938,163 10/1963 GB EP #### BE PO 271 448 6/1988 EP #### BE PO 371 448 6/1981 EP #### BE WO 92/05442 4/1994 PCT #### BE WO 92/05442 4/1994 PCT #### BE WO 95/12608 5/1995 PCT #### BE WO 95/12608 5/1995 PCT #### BE WO 96/12541 5/1996 PCT #### BE WO 96/12541 5/1996 DE #### BE WO 96/12541 DE DE DE DE DE DE DE D						November 7, 2001	Not yet	assigned	
#A79 6,168,948 1/2000 Anderson et al. 435/287.2 **FOREIGN PATENT DOCUMENTS TRANSLATIT (YES/NO) **EFF			Sheet 3 o	f 4					
### POREIGN PATENT DOCUMENTS FEX'R				υ.	S. PATEN	T DOCUMENTS			
FEXTR TRANSLATIT (YES/NO) TRANSLATIT (YES/NO)		*A79	6,168,948	1/2000		Anderson et al.	435/287.2		
PATENT NUMBER DATE (MO/YE) COUNTRY (YES/NO)		•	<u> </u>	FOR	BIGN PATE	ENT DOCUMENTS			
TRITIA FREF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.)	+ <u>FVI</u>							TRANSLATION	
*B2 EP 0 271 448 6/1988 EP *B3 EP 0 337 690 10/1989 EP *B4 EP 0330 248 A2 6/1991 EP *B5 W0 95/12808 5/1995 PCT *B6 W0 95/12808 5/1995 PCT *B7 EP 0 576 602 B1 11/1995 EPO *B8 W0 96/07954 3/1996 WC *B8 W0 96/07954 3/1996 WC *B10 DE 19519015 9/1996 DE *B11 W0 97/02357 1/1997 PCT *B12 W0 98/08594 3/1998 PCT *B13 W0 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B15 W0 98/10277 B1798 PCT *B16 PCT *B17 W0 98/10277 B1798 PCT *B18 W0 98/10277 B1798 PCT *B19 W0 98/10277 B1798 PCT *B10 W0 98/10277 B1798 PCT *B11 W0 98/10277 B1798 PCT *B12 W0 98/10277 B17998 PCT *B13 W0 98/10277 B1798 PCT *B14 EP 0123456-A2 1/2000 EPO *B15 W0 98/10277 B1798 PCT *B16 W0 98/10277 B1798 PCT *B17 W0 98/10277 B1798 PCT *B18 W0 98/10277 B1798 PCT *B19 W0 98/10277 B1798 PCT *B19 W0 98/10277 B1798 PCT *B10 W0 98/10277 B1798 PCT *B11 W0 98/10277 B1798 PCT *B12 W0 98/10277 B1798 PCT *B13 W0 98/10277 B1798 PCT *B14 EP 0123456-A2 1/2000 EPO *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Poformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11 15 February 1996, San Diego . CA *C5 Buck, George E. et al., "Rapid, Simple Method for Treating Clinical Specimena Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The Moclisens" Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151.	INITIA		PATENT NUMBER	DATE (MO/YR)		COUNTRY		(YES/NO)	
*82 EP 0 337 690 10/1989 EP *84 EP 0430 248 A2 6/1991 EP *85 W0 92/05442 4/1994 PCT *86 W0 95/12808 5/1995 PCT *87 EP 0 576 602 B1 11/1995 EPO *88 W0 96/07954 3/1996 PCT *89 W0 96/12541 5/1996 W0 *810 DE 19519015 9/1996 DE *811 W0 97/02357 1/1997 PCT *812 W0 98/08594 3/1998 PCT *813 W0 98/10277 3/1998 PCT *814 EP 0123456-A2 1/2000 EPO *815 EPO *816 EPO *817 EPO 576 602 B1 11/1997 PCT *818 W0 98/10277 3/1998 PCT *811 W0 98/08594 3/1998 PCT *812 W0 98/08594 3/1998 PCT *814 EP 0123456-A2 1/2000 EPO *815 EPO *816 EPO *817 EPO 576 602 B1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. **CC Brody et al., "Deformation and Flow of Red Blood Colls in a Synthetic Lattice: Evidence for an Active Cytoskeletom", Biophysical Journal 68:2224-2232 (1995) **C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) **C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11 15 February 1996, San Diego, CA **C5 Buck, George E. et al., Repid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. **C6 Cuypers et al., "The Nuclisens" Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998; 25:147-151.		*B1	GB 938,163	10/1963		GB			
**B1		*B2	EP 0 271 448	6/1988		EP			
*B5 WO 92/05442 4/1994 PCT *B6 WO 95/12808 5/1995 PCT *B7 EP 0 576 602 B1 11/1995 EPO *B8 WO 96/12541 5/1996 WO *B10 DE 19519015 9/1996 DE *B11 WO 97/02357 1/1997 PCT *B12 WO 98/02357 1/1997 PCT *B13 WO 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B14 EP 0123456-A2 1/2000 EPO *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11-15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p. 1331-1334. *C6 Cuypers et al., "The Nuclisens" Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998, 25:147-151.		*B3	EP 0 337 690	10/1989		EP			
*B6 W0 95/12808 5/1995 PCT *B7 EP 0 576 602 Bl 11/1995 EPO *B8 W0 96/07954 3/1996 PCT *B9 W0 96/07954 3/1996 PCT *B10 DE 19519015 9/1996 DE *B11 W0 97/02357 1/1997 PCT *B12 W0 98/08594 3/1998 PCT *B13 W0 98/0277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B14 EP 0123456-A2 1/2000 EPO *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11: 15 Pebruary 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p. 1331-1334. *C6 Cuypers et al., "The Nuclisens" Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998; 25:147-151.		*B4	EP 0430 248 A2	6/1991	. EP				
*B7 EP 0 576 602 B1 11/1995 EPO *B8 W0 96/07954 3/1996 PCT *B9 W0 96/12541 5/1996 W0 *B10 DE 19519015 9/1996 DE *B11 W0 97/02357 1/1997 PCT *B12 W0 98/08594 3/1998 PCT *B13 W0 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B14 EP 0123456-A2 1/2000 EPO *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 BraneDjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11 15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p. 1331-1334. *C6 Cuypers et al., "The NucliSens" Extractor for Automated Nucleic Acid Isolation", Infusions ther Transfusions med, 1998; 25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*B5	WO 92/05442	4/1994		PCT			
*BB WO 96/07954 3/1996 PCT *BB WO 96/07954 3/1996 WO *BIO DE 19519015 9/1996 DE *BII WO 97/02357 1/1997 PCT *BII WO 98/08594 3/1998 PCT *BII WO 98/10277 3/1998 PCT *BII EP 0123456-A2 1/2000 EPO *BII EP 0123456-A2 1/2000 EPO *THER DOCUMENTS *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CI Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11: 15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p. 1331-1334. *C6 Cuypers et al., "The NucliSens" Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998; 25:147-151.		*B6	WO 95/12808	5/1995	PCT				
*B9 W0 96/12541 5/1996 W0 *B10 DE 19519015 9/1996 DE *B11 W0 97/02357 1/1997 PCT *B12 W0 98/08594 3/1998 PCT *B13 W0 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B14 EP 0123456-A2 1/2000 EPO *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*B7	EP 0 576 602 B1	11/1995	EPO				
*B10 DE 19519015 9/1996 DE *B11 WO 97/02357 1/1997 PCT *B12 WO 98/08594 3/1998 PCT *B13 WO 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *B15 EPO *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 58:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11 15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microfology, May 1992, p.1331-1334. *C6 Cuypers et al., "The Nuclisens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*B8	WO 96/07954	3/1996		PCT			
*B11 W0 97/02357 1/1997 PCT *B12 W0 98/08594 3/1998 PCT *B13 W0 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO OTHER DOCUMENTS *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CI Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11-15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The Nuclisens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151.		*B9	WO 96/12541	5/1996		WO			
*B12 WO 98/08594 3/1998 PCT *B13 WO 98/10277 3/1998 PCT *B14 EP 0123456-A2 1/2000 EPO *THER DOCUMENTS *TEX'R *REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11-15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens" Extractor for Automated Nucleic Acid Isolation", Infusionsher Transfusionsmed, 1998;25:147-151.		*B10	DE 19519015	9/1996		DE			
*REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CITATION (Author, Articl		*B11	WO 97/02357	1/1997		PCT			
*REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *CI Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11: 15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The Nuclisens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*B12	WO 98/08594	3/1998		PCT			
OTHER DOCUMENTS *REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeletom", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The Nuclisens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151.		*B13	WO 98/10277	3/1998		PCT			
OTHER DOCUMENTS TEX'R *REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.)		*B14	EP 0123456-A2	1/2000		EPO			
*REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology									
*REF. LINITIA # **REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) **C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidoState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. **C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) **C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) **C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA **C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. **C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. **C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology									
*REF. L *REF. CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.) *C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology									
INITIA L *CITATION (Author, Article little, Southar, Book little, Patch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Petrikine Edges, Section L *CITATION (Author, Article little, Southar, Book little, Batch, Fetrikine Edges, Section little, Southar, Book little, Batch, Fetrikine Edges, Section little, Southar, Book little, Batch, Int Interest little, Southar, Book little, Batch, Interest little, Interest litter, Interest literation of				-	OTHER D	OCUMENTS			
*C1 Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480. *C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology	INITIA		CITATION (Author, Article Title, Journal/Book Title, Date, Pertinent Pages, etc.)						
*C2 Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence for an Active Cytoskeleton", Biophysical Journal 68:2224-2232 (1995) *C3 Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11:15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens TM Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*C1	Anderson et al., "Microfluidic Biochemical Analysis System", Transducers '97, Int'l Conf. on SolidOState Sensors and Actuators, Chicago June 16-19 (1997), pg. 477-480.						
Actuators A 58:13-18 (1997) *C4 Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11- 15 February 1996, San Diego, CA *C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*C2	Brody et al., "Deformation and Flow of Red Blood Cells in a Synthetic Lattice: Evidence						
*C5 Buck, George E. et al., Rapid, Simple Method for Treating Clinical Specimens Containing Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*C3	Brody et al., "Diffusion-Based Extraction in a Microfabricated Device", Sensors and						
Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinica Microbiology, May 1992, p.1331-1334. *C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*C4	Branebjerg et al., "Fast Mixing by Lamination", Proceedings of the Conference on MEMS, 11-						
*C6 Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation", Infusionsther Transfusionsmed, 1998;25:147-151. *C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology		*C5	Mycobacterium tuberculosis To Remove DNA for Polymerase Chain Reaction Journal of Clinical						
*C7 Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology for Microstructures", Sensors and Actuators A 52:132-139 (1996)		*C6	Cuypers et al., "The NucliSens™ Extractor for Automated Nucleic Acid Isolation",						
		*C7	Klaassen et al., "Silicon Fusion Bonding and Deep Reactive Ion Etching: A New Technology						

		_						
		TED STATES PATENT TRADEMARK OFFICE	ATTORNEY DOC	SERIAL NO.:				
INFORMATION DISCLOSURE STATEMENT			22660-0019 DIV 3	Not yet assigned				
		37 CFR \$1.56, \$1.97, and \$1.98						
		PTO-1449 FORM	APPLICANTS: McMillan et al.					
			APPLICANTS: MCMITTAIL et	. a1.				
		·	FILING DATE:	GROUP ART UNIT:				
			November 7, 2001	Not yet assigned				
		Sheet 4 of 4						
		OTHER DO	CUMENTS					
	*C8	Maluf, N., "Silicon Fusion Bonding Plus DRIE Delivers Design Flexibility", Micromachine Devices 2:4-5 (1997)						
	*C9	B. Sanz et al., Effect of Ultrasonic Waves on the Heat Resistance Of Bacillus Stearothermophilus Spores Fundamental And Applied Aspects of Bacterial Spores, 1985, pp. 251-259						
	- *							
EXAMINER'S SIGNATURE			DATE CONSIDERED					

329147 v01.SV (71YZ01!.DOC) 11/6/01 7:15 PM (22660.0019)

[†] EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609. Line through citation if not in conformance and not considered. Include copy of this form in next communication to applicant.

^{*} If an asterisk is placed beside the reference number, a copy is not provided because the reference was previously cited by or submitted to the PTO in a prior application that is identified in the statement and relied upon for an earlier filing date under 35 U.S.C. 120. 37 C.F.R. 1.98(d).